



09/26/97

Docket No.: 122.1290/HJS

Box PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

NEW APPLICATION TRANSMITTAL

Dear Sir:

Transmitted herewith for filing is the [xx] utility
[] design patent application of inventor(s):

- (1) Keisuke KUBOMURA
- (2) Junichi IIZUKA

Entitled:

INFORMATION PROCESSING APPARATUS AND PROGRAM STORAGE
MEDIUM

Enclosed are:

1. The Papers Required For Filing Under 37 C.F.R. §1.53(b):

<u>21</u>	Page(s) of Specification
<u>8</u>	Page(s) of Claims
<u>1</u>	Page(s) of Abstract
<u>19</u>	Sheet(s) of [xx] formal [] informal drawings

2. [xx] Combined Declaration/Power of Attorney

3. [xx] An Assignment of the invention to:

FUJITSU LIMITED

4. Claim for Priority Under 35 U.S.C. §120

[] The benefit under 35 U.S.C. §120 is hereby claimed from
the following United States application(s):

5. Claim for Priority Under 35 U.S.C. §119

[xx] The benefit of priority under 35 U.S.C. §119 is hereby
claimed from the following foreign application(s):

- (1) Japanese Patent Application No. 8-258969
Filed: September 30, 1996
- (2) Japanese Patent Application No. 9-150531
Filed: June 9, 1997

[] A certified copy of (each of) the above-identified
foreign application(s) is enclosed.

6. Fee Calculation

<u>CLAIMS AS FILED</u>						Basic Fee
<u>Number Filed</u>		<u>Number Extra</u>		<u>Rate</u>		<u>\$ 770.00</u>
Total Claims	26 -20=	6	X	\$ 22.00		132.00
Independent Claims	8 - 3=	5	X	\$ 80.00		400.00
Multiple dependent claim(s), if any []						\$ 260.00 0.00
Filing Fee Calculation						\$1,302.00
*If the difference is less than zero, enter "0"						

[] Amendment cancelling extra claims enclosed

[XX] Amendment deleting multiple dependencies enclosed

7. Small Entity Statement

[] A verified statement that this is a filing by a "small entity" under 37 C.F.R. §§ 1.9 and 1.27 is attached.

Filing Fee Calculation (50% of above) \$

8. Fee Payment

[] Not Enclosed

[] No filing fee is to be paid at this time.

[XX] Enclosed

[XX] Filing fee calculation above \$ 1,302.00

[XX] Recording assignment
(\$40.00; 37 CFR §1.21(h)(1)) \$ 40.00

Total fees enclosed \$ 1,342.00

9. Method of Payment of Fees

[XX] Check in the amount of \$1,342.00

[] Charge Deposit Account No. 19-3935 in the amount of: \$
A duplicate of this transmittal is attached.

10. Other Enclosures

INFORMATION DISCLOSURE STATEMENT

11. Authorization to Credit Overpayment or Charge Additional Fees

[xx] The Commissioner is hereby authorized to credit any overpayment, or charge fees under 37 CFR 1.16 (filing fees) or 37 CFR 1.17 (application processing fees) which may be required, to Deposit Account 19-3935.


12. Correspondence Address:

STAAS & HALSEY
700 Eleventh Street, N.W.
Suite 500
Washington, D.C. 20001
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

Respectfully submitted,

STAAS & HALSEY

By:



H. J. Staas
Registration No. 22,010

Date: September 26, 1997

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Keisuke KUBOMURA et al.

Group Art Unit:

Serial No.:

Examiner:

Filed: September 26, 1997

For: INFORMATION PROCESSING APPARATUS
AND PROGRAM STORAGE MEDIUM

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to calculating the filing fee for the above-identified application, please amend the claims as follows:

IN THE CLAIMS

Please AMEND claims 10 and 15, as follows:

10. (ONCE AMENDED) An information processing apparatus according to [any one of] claim[s] 1 [to 9], further comprising:
memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

15. (ONCE AMENDED) A recording medium readable by a computer and further having recorded therein a program for realizing said information processing apparatus according to [any one of] claim[s] 11 [to 14], said information processing apparatus comprising:

memory means for storing the coordinate of at least a character or an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

Please ADD the following NEW claims 16-26:

16. (NEW) An information processing apparatus according to claim 2, further comprising:

memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

17. (NEW) An information processing apparatus according to claim 3, further comprising:

memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

18. (NEW) An information processing apparatus according to claim 4, further comprising:

memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

19. (NEW) An information processing apparatus according to claim 5, further comprising:

memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

20. (NEW) An information processing apparatus according to claim 6, further comprising:

memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

21. (NEW) An information processing apparatus according to claim 7, further comprising:

memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

22. (NEW) An information processing apparatus according to claim 8, further comprising:

memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

23. (NEW) An information processing apparatus according to claim 9, further comprising:

memory means for storing the coordinate of at least a character of an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

24. (NEW) A recording medium readable by a computer and further having recorded therein a program for realizing said information processing apparatus according to claim 12, said information processing apparatus comprising:

memory means for storing the coordinate of at least a character or an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

25. (NEW) A recording medium readable by a computer and further having recorded therein a program for realizing said information processing apparatus according to claim 13, said information processing apparatus comprising:

memory means for storing the coordinate of at least a character or an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

26. (NEW) A recording medium readable by a computer and further having recorded therein a program for realizing said information processing apparatus according to claim 14, said information processing apparatus comprising:

memory means for storing the coordinate of at least a character or an image displayed on said display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

REMARKS

This Preliminary Amendment is submitted to further prosecution of this application by placing same in better form, including eliminating all multiple-dependencies from the claims.

Accordingly, entry of the Preliminary Amendment and favorable examination are respectfully requested.

Respectfully submitted,

STAAS & HALSEY

By: 

H. J. Staas

Registration No. 22,010

700 Eleventh Street, N.W.
Suite 500
Washington, D.C. 20001
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

Date: September 26, 1997

INFORMATION PROCESSING APPARATUS
AND PROGRAM STORAGE MEDIUM

5 BACKGROUND OF THE INVENTION

1. Field of the Invention

10 The present invention relates to an information processing apparatus having the function of displaying a character in an enlarged form, and a program storage medium for storing a program used for realizing it or, in particular, to an information processing apparatus capable of easily visualizing the display contents and a program storage medium for storing the program used for realizing it.

15 2. Description of the Related Art

In recent years, information processing apparatuses as personal computers and word processors have become widely used even by visually-handicapped persons and aged persons. These users often complain
20 that the characters and pictures on the screen are so small that they cannot be easily seen. The demand for an increased size of characters and pictures on display is thus increasing.

With this situation as a background, software
25 for displaying a normal screen in an enlarged form has been put into practice. The mere enlarged display on the screen, however, is accompanied by a difficulty in visualizing the overall layout due to the insufficient amount of data that is displayed. In view of this, in
30 order to assure operating ease, a configuration is required whereby information on the normal screen can be easily visualized even in an enlarged display area on the screen.

35 In the case where a window is opened while the characters on the screen are being enlarged at a designated magnification rate in the conventional information processing apparatuses, the particular window

is enlarged and displayed at the same magnification rate as the screen.

When scrolling is requested of the window displayed in an enlarged form this way, the window is
5 scrolled according to the same scrolling process as before enlargement.

After completion of a process to display the window in an enlarged form, a request for erasure, if
any, is met by erasing the window on the screen as of the
10 time of the request.

The above-mentioned conventional apparatuses pose the problem that the user cannot recognize the contents of the display easily. The problem will be specifically described below.

15 In an information processing apparatus, a window (dialog box) may be displayed in response to entry of a character in a normal form, that is in a not enlarged form, as shown in Figs. 13A, 13B.

In such a case, the conventional configuration shown in Fig. 14A for displaying a window at the same magnification rate as at the time of character entry sometimes undesirably causes only a portion of each character to be displayed within the window, as shown in Fig. 14B.

25 When a character is entered, it is enough to recognize only the neighborhood of the character. In the case of displaying a window, on the other hand, it would be more convenient if the contents displayed in the window could be recognized. The problem of the prior
30 art, however, is that what is displayed in the window cannot be easily recognized by the user.

Also, an information processing apparatus may display a window having a character considerably smaller in size than the character entered for display without
35 any enlargement.

The conventional configuration for displaying a window at the same magnification rate as a character

entered encounters the problem that each character in the window is still small and hard to view, even after the window is enlarged as shown in Fig. 15B, when the user is desirous of viewing the screen enlarged at the character magnification rate as shown in Fig. 15A.

Further, in the conventional configuration which handles a request for scrolling a window displayed in an enlarged form by the same scrolling process as before enlargement as shown in Figs. 16A to 16E, the user may erroneously continue to scroll out of the window as shown in Fig. 16E. In such a case, the user is required to search for the window by manual operation. In view of the fact that the whole image of an enlarged display on a screen is difficult to visualize, however, makes this manual operation very troublesome. Also, assume that a request for erasing a window is issued after the required process is complete on the window displayed in an enlarged form as shown in Figs. 17A to 17C. The configuration of erasing the window on the screen as of the time of the request poses no problem when the window is not enlarged as the user can restore the original screen to coincide with the original working screen, as shown in Fig. 17C. In the case where the window is displayed in an enlarged form as shown in Figs. 18A to 18C, however, the user is unable to restore the original working screen as shown in Fig. 18C. The user is thus required to restore the original display condition by very troublesome manual work.

As described above, the conventional information processing apparatuses have the problem that the user cannot easily recognize the contents displayed in an enlarged form.

SUMMARY OF THE INVENTION

The present invention has been developed in view of this situation, and the object of the invention is to provide a novel information processing apparatus having the function of enlarging characters on a display and

which allows the user to easily recognize the display contents, and a novel storage medium for storing a program for realizing such an apparatus.

Fig. 1 is a diagram showing a basic configuration of the present invention.

In Fig. 1, reference numeral 1 designates an information processing apparatus comprising a computer as a main component for displaying a character at an intended point in a form enlarged according to a designated magnification rate on a display screen and, in response to the character at the intended point, opening an intended area (window) anew and displaying it in an enlarged form on the display screen, numeral 2 designates a display unit for the information processing apparatus 1, and numeral 3 an input unit for the information processing apparatus 1.

The information processing apparatus 1 according to this invention comprises input/output control means 10, management means 11, enlarged display means 12, detection means 13, specifying means 14, determining means 15, scroll means 16, second detection means 17, prohibition means 18, storage means 19 and restoration means 20.

The input/output control means 10 executes the process of an interface between the display unit 2 and the input unit 3. The management means 11 manages the data displayed on the display unit 2. The enlarged display means 12 displays the display data managed by the management means 11 in an enlarged form on the display unit 2 in accordance with a designated magnification rate.

The detection means 13 detects whether a request for opening an intended area is issued or not. The specifying means 14 specifies the size of the character or image in the intended area as displayed on a screen or the size of the character at the intended point as displayed on the screen with the magnification rate of unity. The determining means 15 determines the

magnification rate applicable to the intended area by changing the magnification rate supplied to the enlarged display means 12.

5 The scroll means 16 scrolls the intended area displayed in an enlarged form after converting characters to be displayed from the normal size to the enlarged size by the enlarged display means 12, for example. The second detection means 17 is for detecting whether the intended area is converted to the enlarged size by the enlarged display means 12 and displayed as specified in accordance with the scrolling process by the scroll means 16. The prohibition means 18 prohibits the conversion by the enlarged display means 12 and the scrolling process by the scroll means 16.

15 The storage means 19 stores the coordinates of the character at the intended point which has been a trigger for opening the intended area. The restoration means 20 restores the display condition of the intended area immediately before opening thereof when erasing the intended area developed by the enlarged display means 12.

20 The functions of the information processing apparatus 1 according to the present invention are specifically realized by a program. This program is supplied from a medium, and loaded in a memory in the information processing apparatus 1. The functions of the invention thus are realized by executing the program stored in memory.

25 With the information processing apparatus 1 according to this invention configured as described above, upon detection by the detection means 13 that a request for opening an intended area is issued by the operation of the input unit 3 or the like, the specifying means 14 specifies the size of the intended area on the reference screen, and in response to this specification, 30 the determining means 15 determines a magnification rate applicable to the intended area from the size of the specified intended area on the screen and the size of the

screen assigned to the intended area, for example, in such a manner that the intended area is filled up in the particular screen.

5 The enlarged display means 12 displays the intended area in an enlarged form on the display unit 2 while at the same time displaying the enlarged character in the intended area in accordance with the magnification rate determined by the determining means 15.

10 The above-mentioned process can obviate the problem points of the prior art described above with reference to Fig. 14B.

When the detection means 14 detects that a request has been issued for opening an intended area by the operation of the input unit 4 or the like, the specifying means 14 specifies the size of the character or image in
15 the intended area as displayed on the screen and the size of the character at the intended point on the screen. In response to this specification, the determining means 15 determines a magnification rate applicable to the
20 particular intended area from the magnification rate supplied to the enlarged display means 12 and the character size specified by the specifying means in such a manner that the character in the intended area, for example, has the same size as the character at the
25 intended point displayed in an enlarged form.

The enlarged display means 12 displays the intended area on the display unit 2 in an enlarged form and displays the characters in the intended area in an enlarged form in accordance with the magnification rate
30 determined by the determining means 15.

This process can obviate the problem points of the prior art described with reference to Fig. 15B.

In the case where the detection means 13 detects that a request has been issued for opening an intended
35 area by the operation of the input unit 3, the specifying means 14 specifies the size of the character in the intended area as displayed on the screen, and in response

to this specification, the determining means 15 determines a magnification rate from a specified character size and the character size specified by the specifying means 14 in such a manner that the character in the particular intended area has the specified character size thereby to determine the magnification rate applicable to the particular intended area.

The enlarged display means 12 enlarges the intended area and displays it on the display unit 2 while at the same time displaying on the display unit 2 the character in the intended area in an enlarged form in accordance with the magnification rate determined by the determining means 15.

This process obviates the problem points of the prior art described with reference to Fig. 15B.

Assume that a request has been issued to scroll by the operation of the input unit 3 when the enlarged display means 12 displays the intended area in an enlarged form. In response to the scroll request, the scroll means 16 scrolls the intended area displayed in an enlarged form in a designated scroll direction. In the process, the second detection means 17 detects whether the trailing end of the intended area scrolled in the scroll direction has come to assume a state displayable on the display unit 2. Upon detection of this displayable state, the prohibition means 18 prohibits the scroll means 16 from scrolling any further in the scroll direction.

This process can solve the problem point of the prior art described above with reference to Fig. 16E.

In this configuration, the storage means 19 stores the coordinate point of the intended point providing a motive of opening the intended area. In response to this storage, the restoration means 20 operates in such a manner that as soon as a request is issued for erasing the intended area by the operation of the input unit 3 and the enlarged display means 12 erases the intended

area, the coordinate stored in the storage means 19 is set as an intended point to thereby restore the display state of the intended area immediately before the opening thereof.

5 This process can obviate the problem point of the prior art described with reference to Fig. 18C.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a diagram showing a basic configuration of the invention.

10 Fig. 2 is a diagram showing a program structure of an information processing apparatus according to this invention.

Fig. 3 shows a processing flow for executing an environment-setting program according to an embodiment.

15 Fig. 4 shows a processing flow for executing an enlarged display program according to a first embodiment.

Figs. 5A, 5B are diagrams showing a screen according to the first embodiment.

20 Fig. 6 shows a processing flow for executing an enlarged display program according to a second embodiment.

Figs. 7A, 7B are diagrams showing a screen according to the second embodiment.

25 Fig. 8 shows a processing flow for executing an enlarged display program according to a third embodiment.

Figs. 9A, 9B, 9C are diagrams showing a screen according to the third embodiment.

30 Fig. 10 shows a processing flow for executing an enlarged display program according to a fourth embodiment.

Figs. 11A, 11B, 11C are diagrams showing a screen according to the fourth embodiment.

35 Figs. 12A and 12B show a processing flow for executing an enlarged display program according to a fifth embodiment.

Figs. 13A, 13B to 18C are diagrams for explaining the image processing means according to the prior art.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Embodiments of the invention will be described in detail with reference to the accompanying drawings. Fig. 2 shows a program structure included in the information processing apparatus 1 comprising a computer as a main component part thereof.

As shown in Fig. 2, the information processing apparatus 1 according to this invention comprises a display control program 30 responsible for processing the display control of data on the display unit 2, including an environment-setting program 31, an enlarged display program 32 and a memory 33 providing the working area of the enlarged display program 32.

The environment setting program 31 and the enlarged display program 32 are loaded in the memory (not shown) incorporated in the information processing apparatus 1 from a program storage medium.

Fig. 3 shows a processing flow for executing the environment-setting program 31 according to an embodiment, and Figs. 4, 6, 8, 10, 12 show the processing flows for executing the enlarged display program according to each embodiment. Now, the present invention will be described in detail with reference to these processing flows.

The environment-setting program, as shown in the processing flow of Fig. 3, first judges in step 1 whether a condition setting request for an enlarged display has been issued from the user. If no condition setting request is issued, the process is terminated as it is. The condition setting is defined as the selection of a screen enlarge mode described later, the selection as to whether the scrolling out of the window is to be prohibited and the selection as to whether the enlarged area is restored to the state immediately before opening the window.

In the case where step 1 judges that the condition setting request for enlarged display is issued by the

user, the process proceeds to step 2 for judging whether it is the first condition setting. If the judgement is that the condition setting is not the first one, the process proceeds to step 11 for displaying the existing environment-setting data on the display unit 2. In step 5 12, the user is enquired whether the particular environment-setting data is sufficient, and if the judgement is that the environment-setting data is sufficient, the process is terminated as it is.

10 In the case where the judgement in step 2 is that the condition setting is the first one, on the other hand, the process proceeds to step 3 for selecting the screen enlarge mode interactively with the user. The screen enlarge mode includes a first mode for enlarging 15 the window to the full size of the screen, a second mode for enlarging the window to such an extent that each character in the window has the same size as the enlarged character outside the window, and a third mode for enlarging the window at the same magnification rate as 20 the enlarged character outside the window.

In the case where the first mode is selected in step 3 for enabling the user to enlarge the window to the full size of the screen, for example, the process proceeds to step 4 for setting the particular screen enlarge mode.

25 In the case where the user selects in step 3 the second mode in which the window is enlarged to such an extent that the size of the character in the window is the same as that of the enlarged character outside the window, the process proceeds to step 5 for setting the particular 30 screen enlarge mode. In the case where the user selects in step 3 the third mode in which the window is enlarged in accordance with the same magnification rate as the enlarged character outside the window, in contrast, the process proceeds to step 6 for setting the particular 35 screen enlarge mode.

Then, step 7 determines interactively with the user whether a fourth mode is to be selected for prohibiting

the scrolling out of the enlarged window. In the case where the user selects the fourth mode for prohibiting the scrolling outside the enlarged window, the process proceeds to step 8 for setting the same mode.

5 In the case where the enlarged window is erased by the interaction with the user in step 9, the user determines whether a fifth mode is selected for restoring the display state immediately before opening the window. Once the user selects the fifth mode for restoring the
10 display state immediately before opening the window, the process proceeds to step 10 for setting the same mode.

 Step 11 displays on the display unit 2 the environment-setting data, i.e., the selection of one of the first to fifth modes set in steps 3 to 10. Step 12
15 makes an enquiry of the user whether the particular environment-setting conditions are satisfactory. In the case where the judgement is that the environment-setting conditions are satisfactory, the process is terminated as it is. If the judgement is that the particular
20 environment-setting conditions are not satisfactory, in contrast, the process returns to step 3.

 As described above, the environment-setting program 31 sets an enlarged display mode as the window is opened. The environment-setting program 31 also sets the
25 magnification rate of the portions other than the window.

 Now, the process for executing the enlarged display program 32 will be explained.

 In the enlarged display program 32, assume that the processing flow of Fig. 4 is executed. First, step 1
30 reads the environment-setting mode set by the environment-setting program 31. Then, upon receipt of an enlarge instruction by key operation or the like, the process proceeds to step 3 for displaying each character on the display unit 2 at the magnification rate
35 designated by the environment-setting data. At the same time, the screen is determined in accordance with the designated magnification rate.

The processing flow shown in Fig. 4 presupposes the selection of the mode for enlarging the window to the full size of the screen. This fact can be recognized by the environment-setting data read in step 1.

5 Step 4 monitors whether the key operation is performed after complete enlargement while enlarging the character displayed on the display unit 2. In the process, step 5 judges whether a new window is opened as shown in Fig. 13B by an application program. In the case
10 where the judgement is that a new window has been opened, the process proceeds to step 6, in which a function command for acquiring the window coordinates (on the reference screen), i.e., the coordinates at points P_1 , P_2 in Fig. 13B, is issued to the operating system thereby to
15 acquire the size of the particular window from the operating system.

 Step 7 enlarges the size of the window acquired in step 6 in accordance with the designated magnification rate, and compares the enlarged window with the screen
20 thereby to judge whether the enlarged window can be displayed on the screen. In the case where step 8 judges whether the window is larger and cannot be displayed on the screen, the process proceeds to step 10 for reducing the designated magnification rate. In this way, the
25 window is enlarged to a size sufficient to be contained in the screen, and is displayed on it.

 In the case where step 7 compares the enlarged window with the screen and step 9 judges that the screen is larger, on the other hand, the process proceeds to
30 step 11 thereby to increase the designated magnification rate. The window thus is enlarged to fill up the screen and is displayed. Step 11 can be omitted.

 In the case where step 7 compares the enlarged window with the screen, followed by the judgement in step
35 12 that the both sizes are the same, on the other hand, the window enlarged at the designated magnification rate

is displayed as it is on the screen.

As described with reference to Figs. 14A, 14B, the conventional apparatus is so configured that the window is enlarged and displayed using the magnification rate as of the time of character entry. The probable result is an inconvenience such as that shown in Figs. 5A (the same as 14B), where only a portion of each character in the window is displayed. According to the present invention, in contrast, the window is enlarged and displayed within the size of the screen as shown in Fig. 5B according to the enlarged display program 32, in such a manner that the window coordinate point P_1 , P_2 shown in Fig. 13B are represent the coordinate points P_1' and P_2' in Fig. 5B, respectively. The above-mentioned inconvenience is thus obviated.

In the processing flow of Fig. 6, the enlarged display program 32 also reads in step 1 the environment-setting mode set by the environment-setting program 31. Then, upon receipt of an enlarge instruction by key operation or the like in step 2, the process proceeds to step 3 for acquiring the size of the system character as displayed on the reference screen, followed by step 4 for enlarging and displaying the character on the display unit 2 in accordance with the magnification rate designated by the environment-setting data.

The processing flow shown in Fig 6 presupposes that the mode is selected to enlarge the window in such a manner that each character within the window has the same size as the enlarged character outside the window. This fact is recognized through the environment-setting data read in step 1.

Step 5 monitors whether the key operation has been performed for completing the enlargement while at the same time enlarging the character displayed on the display unit 2. In the process, step 6 judges whether a new window has been opened by an application program. In

the case where the judgement is that a new window has been opened, the process proceeds to step 7 for acquiring the size of the character in the window as displayed on the reference screen.

5 In step 8, the size of the system character acquired in step 3 is compared with the size of the character in the window acquired in step 7, followed by step 9. In the case where step 9 judges that the size of the character in the window is larger, the process proceeds to step 12 for changing the designated magnification rate downward in accordance with the ratio between the two character sizes. In this way, a magnification rate is determined at which the character in the window has the same in size as the enlarged character outside the window, so that the window is enlarged and displayed in accordance with the resulting magnification rate.

15 In the case where comparison between the size of the system character acquired in step 3 and the size of the character in the window acquired in step 7 leads to the judgement in step 10 that the size of the character outside the window is larger, in contrast, the process proceeds to step 13, where the designated magnification rate is changed upward in accordance with the ratio between the two character sizes. In this way, a magnification rate is determined at which the character in the window has the same size as the character outside the window, and the window is enlarged and displayed in accordance with the particular magnification rate.

20 Assume, on the other hand, that step 8 compares the size of the character acquired in step 3 with the size of the character in the window acquired in step 7 and that step 11 judges that the sizes of the two characters are the same. Then, the window is enlarged and displayed according to the designated magnification rate.

25 As described with reference to Figs. 15A, 15B, according to the prior art, the window is enlarged and displayed using the magnification rate as of the time of

character entry. As shown in Fig. 7A (the same as Fig. 15B), therefore, the character in the window is displayed inconveniently smaller. According to the present invention, in contrast, the execution of the enlarged display program 32 permits the character in the window to be enlarged and displayed to the same size as the enlarged character outside the window as shown in Fig. 7B, thereby obviating the above-mentioned inconvenience.

The processing flow of Fig. 6 presupposes that a mode is selected to enlarge the window in such a manner that the size of the character in the window is the same as that of the character outside the window. Alternatively, a mode can be provided to enlarge the window in such a manner that the character in the window has a specified size, so that the window is enlarged and displayed in accordance with the ratio between the size of the character in the window and the specified character size with an equal effect as in the processing flow of Fig. 6.

Also, in the case where the enlarged display program 32 executes the processing flow of Fig. 8, first, step 1 reads the environment-setting mode set by the environment-setting program 31, followed by step 2, where upon receipt of an enlarge instruction by key operation or the like, the process proceeds to step 3, where the character displayed on the display unit 2 is enlarged and displayed at the magnification rate designated by the environment-setting data.

The processing flow of Fig. 8 presupposes that the mode for prohibiting the scrolling out of the enlarged window is selected. This can be recognized by the environment-setting data read in step 1.

Step 4 monitors whether the key operation for completing the enlargement is performed while enlarging the character displayed on the display unit 2. At the same time, step 5 judges whether a window has been opened by an application program. If the judgement is that a

window has been opened, the process proceeds to step 6 for acquiring the coordinate of a specified position of the window, and the particular window is enlarged and displayed in step 7.

5 Step 8 judges whether a scroll request is issued to the enlarged window. In the case where the judgement is that no scroll request is issued, the process proceeds to step 12 as described later. In the event that the judgement is that a scroll request is issued, on the
10 other hand, the process proceeds to step 9, where the enlarged window is scrolled. Then, step 10 judges whether the trailing end of the window has reached the state displayable on the display unit by scrolling.

 In the case where the judgement in step 10 is that
15 the trailing end of the window has not reached a state where it can be displayed on the display unit 2, the process returns to step 8, thereby permitting the scrolling to be continued. If the judgement is that the trailing end has reached such a displayable state, in
20 contrast, the process proceeds to step 11 and a further scrolling in the scroll direction is prohibited.

 Step 12 judges whether the key operation for selecting an item in the window is performed or not. If the judgement is that no such key operation is performed,
25 the process returns to step 8. In the case where the judgement is that the key operation is performed, on the other hand, the process proceeds to step 13 for judging whether or not the window has been erased by the key operation. If step 13 judges that the window is on
30 display, the process returns to step 8, while if the judgement is that the window has been erased, the process returns to step 3.

 As explained with reference to Figs. 16A to 16E, the prior art employs a configuration in which no limitation
35 is imposed on the scrolling of an enlarged window. As shown in Fig. 16E, this gives a rise to a convenience that the scrolling extends out of the window. According

to this invention, however, the process of the enlarged display program 32 prohibits the scrolling in the scroll direction beyond the point where the trailing end of the window can be displayed on the display unit 2 as shown in Figs. 9A to 9C. The above-mentioned inconvenience, therefore, can be obviated.

According to the enlarged display program 32 based on the processing flow of Fig. 10, step 1 reads the environment-setting mode set by the environment-setting program 31, followed by step 2, which upon receipt of an enlarge instruction by key operation or the like, proceeds to step 3, in which the characters are displayed in an enlarged form on the display unit in accordance with the magnification rate designated by the environment-setting data.

The processing flow of Fig. 10 presupposes that the mode is selected that restores the display state immediately before opening the window when erasing the enlarged window. The fact thus is informed in accordance with the environment-setting data read in step 1

Step 4 monitors whether the key operation for ending the enlargement is performed, while at the same time the characters displayed on the display unit are enlarged. At the same time, step 5 judges whether a window has been opened by an application program. In the case where the judgement is that a window is opened, the process proceeds to step 6 where the coordinate indicated by the cursor immediately before opening the window is acquired and stored in the memory 33 as a restored coordinated. Step 7 displays the particular window in an enlarged form.

Step 8 judges whether a scroll request is issued for the enlarged window, and when the judgement is that a scroll request is issued, the process proceeds to step 9 where the enlarged window is scrolled. Then, step 10 judges whether any key operation is performed for selecting an item in the window. If the judgement is

that the key operation is not performed, the process returns to step 8, whereas if the judgement is that the key operation has been performed, the process proceeds to step 11 for judging whether the window is erased or not by the particular key operation.

In the case where step 11 judges that the window is displayed, the process returns to step 8. When the judgement is that the window is erased, the process proceeds to step 12 for calling out the restored coordinate from the memory 8, followed by returning to step 3, thereby returning to the display state at the particular restored coordinate position.

As explained with reference to Figs. 18A, 18B, 18C, the prior art employs a configuration for erasing an enlarged window directly. As shown in Fig. 18C, therefore, the display state immediately before opening the window cannot be restored inconveniently. According to the present invention, on the other hand, the display state (Fig. 11C) immediately before opening the window is automatically restored when erasing an enlarged window as shown in Fig. 11B according to the enlarged display program 32, and therefore the above-mentioned inconvenience is obviated.

Also, in the case where the processing flow of Figs. 12A and 12B is used, step 1 of the enlarged display program 32 reads the environment-setting mode set by the environment-setting program 31. Then, upon receipt of an enlarge instruction by key operation or the like in step 2, the process proceeds to step 3, so that the character is enlarged and displayed on the display unit 2 at the magnification rate designated by the environment-setting data.

In the processing flow of Figs. 12A and 12B, it is assumed that the mode is selected, in which the scrolling out of the enlarged window is prohibited and in which the display state is restored to the state immediately before opening the window when erasing the enlarged window.

This fact can be recognized in accordance with the environment-setting data read in step 1.

Step 4 enlarges the character displayed on the display unit 2 while monitoring whether the key operation for ending the enlargement is performed or not. At the same time, step 5 judges whether a window is opened by an application program. In the case where the judgement is that a window is opened, the process proceeds to step 6 for storing the coordinate indicated by the cursor immediately before opening the window in the memory 33 as the restored coordinate, followed by step 7 for acquiring the coordinate of the specified window position. The process further proceeds to step 8 for displaying the particular window in an enlarged form.

Then, step 9 judges whether or not a scroll request has been issued to the enlarged window. If the judgement is that no scroll request is issued, the process proceeds to the step 13 described later. If the judgement is that a scroll request is issued, on the other hand, the process proceeds to step 10 for scrolling the enlarged window. Then, step 11 judges whether or not the trailing end of the window has reached such a state as displayable on the display unit 2 by scrolling.

In the case where the judgement in step 11 is that the trailing end of the window has not reached such a state as displayable on the display unit 2, the process returns to step 9 for permitting the continued scrolling. In the case where the judgement in step 11 is that the trailing end of the window has reached such a state, on the other hand, the process proceeds to step 12 for prohibiting the window from being further scrolled in the scrolling direction.

Then, step 13 judges whether the key operation for selecting an item in the window has been performed or not. In the case where the judgement is that no key operation is performed, the process returns to step 9. In the case where the key operation is performed, on the

other hand, the process proceeds to step 14 for judging whether or not the window is erased by the particular key operation. Upon judgement that the window is still on display in step 14, the process returns to step 9. When
5 the judgement is that the window is erased, on the other hand, the process returns to step 15. Step 15 calls out the restored coordinate from the memory 33 and the process returns to step 3, thereby restoring the display state at the restored coordinate position.

10 As described with reference to Figs. 16A to 16E, the prior art employs a configuration of not adding any limitation to the scrolling of an enlarged window, and therefore, the inconvenience of scrolling out of the window occurs as shown in Fig. 16E. According to this
15 invention, on the other hand, when the trailing end of the window reaches a state displayable on the display unit 2, the window is prohibited from scrolling further in the scrolling direction as shown in Fig. 9C. The above-mentioned inconvenience, therefore, can be
20 obviated.

Further, as described with reference to Figs. 18A, 18B, 18C, the prior art employs a configuration of erasing an enlarged window directly. As shown in Fig. 18C, therefore, the display state immediately before
25 opening the window cannot be restored inconveniently. According to the present invention, in contrast, the display state immediately before opening a window is automatically restored when erasing an enlarged window as shown in Fig. 11B according to the process of the
30 enlarged display program 32, thereby obviating the above-mentioned inconvenience.

It will thus be understood from the foregoing description that in an information processing apparatus according to this invention having the function of
35 displaying characters in an enlarged form, the window is enlarged to fill up the screen, the characters in the window are enlarged, the scrolling of the window is

limited, and the display state immediately before opening the window is restored when erasing the window. In this way, the user can easily grasp the contents of the data on display in the window in an enlarged form.

2025.10.24.10.10.10

CLAIMS

1. An information processing apparatus for displaying at least a character or an image in an enlarged form at a first designated magnification rate on a screen of a display unit and displaying at least a character or an image in an intended area newly opened on the screen in the enlarged form at the first magnification rate, comprising:

detection means for detecting whether a request for opening said intended area is issued;

determining means for determining a second magnification rate for said intended area from said first magnification rate, the size of said intended area as displayed on the screen, and the size assigned to said intended area to be enlarged on the screen; and

enlarged display means for displaying said intended area on the display screen in an enlarged form in accordance with said second magnification rate determined by said determining means.

2. An information processing apparatus according to claim 1, wherein said determining means includes:

means for correcting said second magnification rate upward in the case where the size of said intended area as displayed on the screen is larger than the size of said intended area;

means for maintaining said second magnification rate as it is in the case where the size of said intended area as displayed on the screen is equal to the size of said intended area; and

means for correcting said second magnification rate downward in the case where the size of said intended area as displayed on an enlarged screen is smaller than the size of said intended area.

3. An information processing apparatus according to claim 1, wherein:

said determining means calculates said second magnification rate from the size of said intended

area as displayed on the screen and from the size of the whole display screen; and

said enlarged display means displays said intended area in an enlarged form on the display screen in accordance with said second magnification rate calculated by said determining means.

4. An information processing apparatus for displaying at least a character or an image in an enlarged form at a first designated magnification rate on a screen of a display unit and displaying at least a character or an image in an intended area newly opened on the screen in the enlarged form at said first magnification rate, comprising:

detection means for detecting whether a request for opening said intended area is issued;

determining means for determining a second magnification rate for said intended area from said first magnification rate, the size of the character in said intended area as displayed on the screen, and the size of the character on said display screen; and

enlarged display means for displaying said character or said image in said intended area on the display screen in an enlarged form in accordance with said second magnification rate determined by said determining means.

5. An information processing apparatus according to claim 4, wherein said determining means includes:

means for correcting said second magnification rate upward in the case where the size of the character displayed in an enlarged form according to said first magnification rate is larger than the size of the character displayed in the intended area in an enlarged form according to said second magnification rate;

means for maintaining said second magnification rate in the case where the size of the character displayed in the enlarged form according to

said first magnification rate is equal to the size of the character displayed in the intended area in the enlarged form according to said second magnification rate; and

means for correcting said second
5 magnification rate downward in the case where the size of the character displayed in the enlarged form according to said first magnification rate is larger than the size of the character displayed in the intended area in the enlarged form according to said second magnification
10 rate.

6. An information processing apparatus according to claim 4, wherein:

said determining means calculates said
second magnification rate in such a manner that the size
15 of the character displayed in an enlarged form according to the first magnification rate is equal to the size of the character displayed in the intended area in an enlarged form according to said second magnification rate; and

said enlarged display means displays the
20 character in said intended area in the enlarged form on said display screen in accordance with said second magnification rate calculated by said determining means.

7. An information processing apparatus for
25 displaying at least a character or an image in an enlarged form at a first designated magnification rate on a screen of a display unit and displaying at least a character or an image in an intended area newly opened on the screen in the enlarged form at said first
30 magnification rate, comprising:

detection means for detecting whether a request for opening said intended area is issued;

determining means for determining a second
magnification rate of said intended area as displayed on
35 the screen from the first magnification rate, the size of the character in said intended area as displayed on the screen, and a specified character size in the case where

said detection means detects that a request is issued for opening said intended area; and

enlarged display means for displaying said character or said image in said intended area in an enlarged form in accordance with said second magnification rate determined by said determining means.

8. An information processing apparatus according to claim 7, wherein said determining means includes:

means for correcting said second magnification rate upward in the case where the size of the character displayed in an enlarged form according to said first magnification rate is larger than the size of the character displayed in the intended area in an enlarged form according to said second magnification rate;

means for maintaining said second magnification rate in the case where the size of the character displayed in the enlarged form according to said first magnification rate is equal to the size of the character displayed in the intended area in the enlarged form according to said second magnification rate; and

means for correcting said second magnification rate downward in the case where the size of the character displayed in the enlarged form according to said first magnification rate is larger than the size of the character displayed in the intended area in the enlarged form according to said second magnification rate.

9. An information processing apparatus for displaying at least a character or an image in an enlarged form at a first designated magnification rate on a screen of a display unit and displaying at least a character or an image in an intended area newly opened on the screen in the enlarged form at said first magnification rate, comprising:

scrolling means for scrolling said intended area displayed in an enlarged form in a

designated scrolling direction in response to a scroll request;

5 detection means for detecting whether the trailing end of said intended area scrolled in said scrolling direction in accordance with the scrolling process by said scrolling means has reached a state displayable on said display screen; and

10 prohibition means for prohibiting said intended window from being further scrolled in said scrolling direction by said scrolling means in the case where said detection means detects that the trailing end of said intended area is in a displayable state.

10. An information processing apparatus according to any one of claims 1 to 9, further comprising:

15 memory means for storing the coordinate of at least a character or an image displayed on said display screen before opening said intended area; and

20 restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

25 11. A recording medium readable by a computer and having recorded therein a program used for realizing an information processing apparatus for displaying at least a character or an image in an enlarged form at a first designated magnification rate on a screen of a display unit and displaying at least a character or an image in an intended area newly opened on the screen in the enlarged form at said first magnification rate, said
30 information processing apparatus comprising:

 detection means for detecting whether a request for opening said intended area is issued;

35 determining means for determining a second magnification rate for said intended area from said first magnification rate, the size of said intended area as displayed on the screen, and the size assigned to said

intended area to be displayed on the screen; and
enlarged display means for displaying said
intended area on the display screen in an enlarged form
in accordance with said second magnification rate
5 determined by said determining means.

12. A recording medium readable by a computer and
having recorded therein a program used for realizing an
information processing apparatus for displaying at least
a character or an image in an enlarged form at a first
10 designated magnification rate on a screen of a display
unit and displaying at least a character or an image in
an intended area newly opened on the screen in the
enlarged form at said first magnification rate, said
information processing apparatus comprising:

15 detection means for detecting whether a
request for opening said intended area is issued;

determining means for determining a second
magnification rate of said intended area as displayed on
the screen from said first magnification rate, the size
20 of a character in said intended area as displayed on the
screen, and the size of the character on said display
screen; and

enlarged display means for displaying the
character or the image in said intended area on the
25 display screen in the enlarged form in accordance with
said second magnification rate determined by said
determining means.

13. A recording medium readable by a computer and
having recorded therein a program used for realizing an
information processing apparatus for displaying at least
30 a character or an image in an enlarged form at a first
designated magnification rate on a screen of a display
unit and displaying at least a character or an image in
an intended area newly opened on the screen in the
enlarged form at said first magnification rate, said
35 information processing apparatus comprising:

detection means for detecting whether a

request for opening said intended area is issued;

determining means for determining a second magnification rate at which said intended area is displayed in an enlarged form on the screen, from said
5 first magnification rate, the size of the character in said intended area as displayed on the screen, and a specified character size when said detection means detects that a request for opening said intended area is issued; and enlarged display means for displaying the
10 character or image in said intended area on the display screen in an enlarged form in accordance with said second magnification rate determined by said determining means.

14. A recording medium readable by a computer and having recorded therein a program used for realizing an
15 information processing apparatus for displaying at least a character or an image at a first designated magnification rate on a screen of a display unit and displaying at least a character or an image in an intended area newly opened on the screen at said first
20 magnification rate, said information processing apparatus comprising:

scrolling means for scrolling said intended area displayed in an enlarged form in a designated scrolling direction in response to a scroll
25 request;

detection means for detecting whether the trailing end of said intended area scrolled in said scrolling direction in accordance with the scrolling process by said scrolling means has reached a state
30 displayable on said display screen; and

prohibition means for prohibiting said intended area from being further scrolled by said scrolling means in the case where said detection means detects that the trailing end of said intended area is
35 displayed.

15. A recording medium readable by a computer and further having recorded therein a program for realizing

said information processing apparatus according to any one of claims 11 to 14, said information processing apparatus comprising:

memory means for storing the coordinate of
5 at least a character or an image displayed on said
display screen before opening said intended area; and

restoration means for restoring and displaying on said display screen the display state of said intended area immediately before being opened on the basis of the coordinate stored in said memory means when erasing said intended area.

項目	単位	数値	単位	数値
1. 総人口	人	1,234,567	2. 男性人口	人
3. 女性人口	人	654,321	4. 人口密度	人/平方キロメートル
5. 出生率	‰	12.3	6. 死亡率	‰
7. 自然増減率	‰	1.5	8. 総世帯数	世帯
9. 平均世帯人数	人	3.2	10. 高齢化率	%
11. 労働力人口	人	567,890	12. 失業率	%
13. 平均年収	円	2,345,678	14. 生活保護世帯数	世帯
15. 福祉予算	億円	123.4	16. 福祉施設数	施設
17. 福祉職員数	人	1,234	18. 福祉ボランティア数	人
19. 福祉相談件数	件	5,678	20. 福祉施策の実施状況	実施中
21. 福祉施策の効果	効果あり	効果あり	22. 福祉施策の課題	課題あり
23. 福祉施策の改善策	改善策あり	改善策あり	24. 福祉施策の今後の展望	展望あり
25. 福祉施策のまとめ	まとめあり	まとめあり	26. 福祉施策の今後の目標	目標あり
27. 福祉施策の今後の方向性	方向性あり	方向性あり	28. 福祉施策の今後の評価	評価あり
29. 福祉施策の今後の見込み	見込みあり	見込みあり	30. 福祉施策の今後のまとめ	まとめあり

INFORMATION PROCESSING APPARATUS
AND PROGRAM STORAGE MEDIUM

5

ABSTRACT OF THE DISCLOSURE

10 An information processing apparatus having the
function of displaying at least a character in an
enlarged form and having the contents of display thereof
easily recognizable is disclosed. A character at an
intended point is displayed in an enlarged form according
to a designated magnification rate on a screen of a
15 display unit, and an intended area is newly opened
according to the intended point and displayed in an
enlarged form. Whether a request for opening the
intended area is issued is detected. When such a request
is detected, the designated magnification rate is changed
20 on the basis of the designated magnification rate, the
size of the intended area on the screen with the
magnification rate of unity, and the size assigned to the
intended area to be enlarged on the screen, thereby
determining the magnification rate applicable to the
25 intended area. The intended area is enlarged and
displayed on a display unit in accordance with the
magnification rate thus determined while at the same time
displaying the character in the intended area in an
enlarged form on the display unit.

Fig.1




Fig. 2




Fig.3




Fig.4




Fig.5A




Fig.5B




Fig.6




Fig.7A




Fig.7B




Fig.8




Fig.9A




Fig.9B




Fig.9C




Fig.10




Fig.11A




Fig.11B




Fig.11C




Fig.12A




Fig.12B




Fig. 13A
PRIOR ART




Fig. 13B
PRIOR ART




Fig.14A
PRIOR ART







Fig.14B
PRIOR ART



PRIOR ART



PRIOR ART



PRIOR ART

—	TITL
Now, characters an enlarged fo	

PRIOR ART

[illegible]

PRIOR ART

TITLE BAR
characters are displayed in form on the

PRIOR ART

--

PRIOR ART

BAR	
isplayed in the screen.	

Fig.17A

PRIOR ART

NORMAL DISPLAY




Fig.17B

PRIOR ART

NORMAL DISPLAY





Fig.17C

PRIOR ART

NORMAL DISPLAY



19/19

Fig.18A

PRIOR ART

ENLARGED DISPLAY

—	TITL
Today is v I plan to	

Fig.18B

PRIOR ART

ENLARGED DISPLAY

fine weather. <div>WINDOW</div>

Fig.18C

PRIOR ART

ENLARGED DISPLAY

fine weather. n a picnic or ntain side or	
---	--

COMBINED DECLARATION/POWER OF ATTORNEY FOR UTILITY/DESIGN PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name. I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

INFORMATION PROCESSING APPARATUS AND PROGRAM STORAGE MEDIUM

the specification of which (check one) ☒ is attached hereto ☐ was filed on _____
as U.S. Application Serial No. _____ and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose to the Office all information known to me to be material to patentability as defined in §1.56. I hereby claim foreign priority benefit(s) under 35 U.S.C. §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Claimed

8-258969 (Pat. Appln.)	Japan	30/September/1996	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	Day/Month/Year Filed		
9-150531 (Pat. Appln.)	Japan	9/June/1997	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	Day/Month/Year Filed		

I hereby claim the benefit under 35 U.S.C. §120 of any U.S. application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application(s) in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose to the Office all information known to me to be material to patentability as defined in §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)	(Filing Date)	(Status: patented, pending, abandoned)
_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status: patented, pending, abandoned)
_____	_____	_____

POWER OF ATTORNEY:

As a named inventor, I hereby appoint the following attorneys and agent: James D. Halsey, Jr., 22,729; Harry John Staas, 22,010; David M. Pitcher, 25,908; John C. Garvey, 28,607; J. Randall Beckers, 30,358; James H. Marsh, Jr., 24,533; William F. Herbert, 31,024; Richard A. Gollhofer, 31,106; Mark J. Henry, 36,162; Paul F. Daebeler, 35,852; Gene M. Garner II, 34,172; Irene D. Altman, 36,371; Michael D. Stein, 37,240; Paul I. Kravetz, 35,230; Gerald P. Joyce, III, 37,648; Todd E. Marlette, 35,269; Michael Lau, 39,479; Beverly A. Pawlikowski, 36,404; John P. Kong, 40,054 and William M. Schertler, 35,348 (agent) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. Send correspondence to: STAAS & HALSEY, 700 Eleventh Street, N.W., Suite 500, Washington, D.C., 20001, and direct telephone calls to (202) 434-1500

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. §1001, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor Keisuke Kubomura

Inventor's Signature Keisuke Kubomura Date September 22, 1997

Residence Matsumoto-shi, Nagano, Japan

Citizenship Japanese

Post Office Address c/o FUJITSU PERSONAL COMPUTER LABORATORY LIMITED, Fukokuseimei Matsumotoekimae building, 1-4-25, Fukushima, Matsumoto-shi, Nagano 390 Japan

Full name of second joint inventor, if any Junichi Iizuka

Second Inventor's Signature Junichi Iizuka Date September 22, 1997

Residence Kawasaki-shi, Kanagawa, Japan

Citizenship Japanese

Post Office Address c/o FUJITSU LIMITED, 1-1, Kamikodanaka 4-chome, Nakahara-ku, Kawasaki-shi, Kanagawa 211 Japan